

Prohibited & Restricted Dangerous Goods List

P - Prohibited

R - Restricted

CLASS	UN	PROPER SHIPPING NAME	P/R
1	ALL	EXPLOSIVES	P
2,1	1057	LIGHTERS or LIGHTER REFILLS containing flammable gas	P
	1972	METHANE, REFRIGERATED LIQUID or NATURAL GAS, REFRIGERATED LIQUID with high methane content	P
	2203	SILANE	P
	1075	PETROLEUM GASES, LIQUEFIED	P
	3374	ACETYLENE, SOLVENT FREE	P
2,2	2455	METHYL NITRITE	P
2,3	ALL	TOXIC GASES	P
3	1131	CARBON DISULPHIDE	P
	1164	DIMETHYL SULPHIDE	P
	1167	DIVINYL ETHER, STABILIZED	P
	1194	ETHYL NITRITE SOLUTION	P
	1202	GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT	P
	1203	MOTOR SPIRIT or GASOLINE or PETROL	P
	1308	ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	P
	2363	ETHYL MERCAPTAN	P
	3379	DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.	P
	3475	ETHANOL AND GASOLINE MIXTURE or ETHANOL AND MOTOR SPIRIT MIXTURE or ETHANOL AND PETROL MIXTURE, with more than 10% ethanol	P
	3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	P
	1265	PENTANES, liquid	P
	1267	PETROLEUM CRUDE OIL	P
4,1	1310	AMMONIUM PICRATE, WETTED with not less than 10% water, by mass	P
	1320	DINITROPHENOL, WETTED with not less than 15% water, by mass	P
	1321	DINITROPHENOLATES, WETTED with not less than 15% water, by mass	P
	1322	DINITRORESORCINOL, WETTED with not less than 15% water, by mass	P
	1327	HAY,STRAW,BHUSA	P
	1336	NITROGUANIDINE (PICRITE), WETTED with not less than 20% water, by mass	P
	1337	NITROSTARCH, WETTED with not less than 20% water, by mass	P
	1339	PHOSPHORUS HEPTASULPHIDE free from yellow or white phosphorus	P
	1344	TRINITROPHENOL (PICRIC ACID), WETTED with not less than 30% water, by mass	P
	1347	SILVER PICRATE, WETTED with not less than 30% water, by mass	P

CLASS	UN	PROPER SHIPPING NAME	P/R
4,1	1348	SODIUM DINITRO-ortho-CRESOLATE, WETTED with not less than 15% water, by mass	P
	1349	SODIUM PICRAMATE, WETTED with not less than 20% water, by mass	P
	1354	TRINITROBENZENE, WETTED with not less than 30% water, by mass	P
	1355	TRINITROBENZOIC ACID, WETTED with not less than 30% water, by mass	P
	1356	TRINITROTOLUENE (TNT), WETTED with not less than 30% water, by mass	P
	1357	UREA NITRATE, WETTED with not less than 20% water, by mass	P
	1517	ZIRCONIUM PICRAMATE, WETTED with not less than 20% water, by mass	P
	1571	BARIUM AZIDE, WETTED with not less than 50% water, by mass	P
	2304	NAPHTHALENE, MOLTEN	P
	2555	NITROCELLULOSE WITH WATER (not less than 25% water, by mass)	P
	2556	NITROCELLULOSE WITH ALCOHOL (not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass)	P
	2557	NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH or WITHOUT PLASTICIZER, WITH or WITHOUT PIGMENT	P
	2852	DIPICRYL SULPHIDE, WETTED with not less than 10% water, by mass	P
	2907	ISOSORBIDE DINITRATE MIXTURE with not less than 60% lactose, mannose, starch, or calcium hydrogen phosphate	P
	2956	5-tert-BUTYL-2,4,6-TRINITRO-m-XYLENE(MUSK XYLENE)	P
	3097	FLAMMABLE SOLID, OXIDIZING, N.O.S.	P
	3221	Self-Reactive Liquid Type B	P
	3222	Self-Reactive Solid Type B	P
	3223	Self-Reactive Liquid Type C	P
	3224	Self-Reactive Solid Type C	P
	3225	Self-Reactive Liquid Type D	P
	3226	Self-Reactive Solid Type D	P
	3227	Self-Reactive Liquid Type E	P
	3228	Self-Reactive Solid Type E	P
	3229	Self-Reactive Liquid Type F	P
	3230	Self-Reactive Solid Type F	P
	3231	Self-Reactive Liquid Type B, Temperature Controlled	P
	3232	Self-Reactive Solid Type B, Temperature Controlled	P
	3233	Self-Reactive Liquid Type C, Temperature Controlled	P
	3234	Self-Reactive Solid Type C, Temperature Controlled	P
	3235	Self-Reactive Liquid Type D, Temperature Controlled	P
	3236	Self-Reactive Solid Type D, Temperature Controlled	P
3237	Self-Reactive Liquid Type E, Temperature Controlled	P	
3238	Self-Reactive Solid Type E, Temperature Controlled	P	
3239	Self-Reactive Liquid Type F, Temperature Controlled	P	

CLASS	UN	PROPER SHIPPING NAME	P/R
4,1	3240	Self-Reactive Solid Type F, Temperature Controlled	P
	3241	2-BROMO-2-NITROPROPANE-1,3-DIOL	P
	3242	AZODICARBONAMIDE	P
	3251	ISOSORBIDE-5-MONONITRATE	P
	3317	2-AMINO-4,6-DINITROPHENOL, WETTED with not less than 20% water by mass	P
	3319	NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2% but not more than 10% nitroglycerin, by mass	P
	3344	"PENTAERYTHRITOL TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN) MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass"	P
	3364	TRINITROPHENOL (PICRIC ACID), WETTED with not less than 10% water, by mass.	P
	3365	TRINITROCHLOROBENZENE (PICRYL CHLORIDE), WETTED with not less than 10% water by mass	P
	3366	TRINITROTOLUENE (TNT), WETTED with not less than 10% water, by mass	P
	3367	TRINITROBENZENE, WETTED with not less than 10% water, by mass	P
	3368	TRINITROBENZOIC ACID, WETTED with not less than 10% water, by mass	P
	3369	SODIUM DINITRO- <i>o</i> -CRESOLATE, WETTED with not less than 10% water, by mass	P
	3370	UREA NITRATE, WETTED with not less than 10% water, by mass	P
	3376	4-NITROPHENYL HYDRAZINE with not less than 30% water, by mass	P
	3380	DESENSITIZED EXPLOSIVE, SOLID, N.O.S.	P
	3474	1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	P
	3531	POLYMERIZING SUBSTANCE, SOLID, STABILIZED, N.O.S.	P
3532	POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.	P	
3533	POLYMERIZING SUBSTANCE, SOLID, TEMPERATURE CONTROLLED, N.O.S.	P	
4,2	1362	CARBON, ACTIVATED	P
	1363	COPRA	P
	1364	COTTON WASTE, OILY	P
	1365	COTTON, WET	P
	1372	FIBRES ANIMAL or FIBRES VEGETABLE burnt, wet or damp	P
	1374	FISHMEAL, UNSTABILIZED (FISHSCRAP, UNSTABILIZED) High hazard. Unrestricted moisture content, Unrestricted fat content in excess of 12%, by mass; unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fishmeal or fishscrap	P
	1376	IRON OXIDE, SPENT or IRON SPONGE, SPENT obtained from coal gas purification	P
	1387	WOOL WASTE, WET	P
	1856	RAGS, OILY	P
	1857	TEXTILE WASTE, WET	P
	2447	PHOSPHORUS, WHITE, MOLTEN	P
	2793	FERROUS METAL BORINGS, SHAVINGS, TURNINGS, or CUTTINGS in a form liable to self-heating	P

CLASS	UN	PROPER SHIPPING NAME	P/R
4,2	3088	SELF-HEATING SOLID, ORGANIC, N.O.S.	P
	3126	SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	P
	3127	SELF-HEATING SOLID, OXIDIZING, N.O.S.	P
	3128	SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	P
	3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	P
	3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	P
	3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	P
	3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	P
	3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	P
	3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	P
	3189	METAL POWDER, SELF-HEATING, N.O.S.	P
	3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	P
	3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	P
	3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	P
	3255	tert-BUTYL HYPOCHLORITE	P
	3313	ORGANIC PIGMENTS, SELF-HEATING	P
	3341	THIOUREA DIOXIDE (Thiourea D, Thiourea DE, Thiourea 98% SP on the MSDS)	P
	3393	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE	P
	3394	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE	P
	3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING	P
3542	ARTICLES CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S.	P	
4,3	1242	METHYLDICHLOROSILANE	P
	1295	TRICHLOROSILANE	P
	1340	PHOSPHORUS PENTASULPHIDE free from yellow or white phosphorus	P
	1409	METAL HYDRIDES, WATER-REACTIVE, N.O.S.	P
	1415	LITHIUM	P
	1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	P
	3129	Water-Reactive Liquid, Corrosive, N.O.S.	P
	3130	Water-Reactive Liquid, Toxic, N.O.S.	P
	3131	Water-Reactive Solid, Corrosive, N.O.S.	P
	3132	Water-Reactive Solid, Flammable, N.O.S.	P
	3133	Water-Reactive Solid, Oxidizing, N.O.S.	P
	3134	Water-Reactive Solid, Toxic, N.O.S.	P
	3135	Water-Reactive Solid, Self-Heating, N.O.S.	P
	3148	WATER-REACTIVE LIQUID, N.O.S.	P
	3208	METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	P
	3209	METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.	P

CLASS	UN	PROPER SHIPPING NAME	P/R
4,3	3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	P
	3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	P
	3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	P
	3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	P
	3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	P
	3543	ARTICLES CONTAINING A SUBSTANCE WHICH IN CONTACT WITH WATER EMITS FLAMMABLE GASES, N.O.S.	P
5,1	1504	SODIUM PEROXIDE	P
	1512	ZINC AMMONIUM NITRITE	P
	1745	BROMINE PENTAFLUORIDE	P
	1746	BROMINE TRIFLUORIDE	P
	1748	CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	P
	1942	AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	P
	2067	AMMONIUM NITRATE BASED FERTILIZER	P
	2208	CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine	P
	2426	AMMONIUM NITRATE, LIQUID (hot concentrated solution)	P
	2495	IODINE PENTAFLUORIDE	P
	2880	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	P
	3100	OXIDIZING SOLID, SELF-HEATING, N.O.S.	P
	3212	HYPOCHLORITES, INORGANIC, N.O.S.	P
	3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL intermediate for blasting explosives	P
	3485	CALCIUM HYPOCHLORITE, DRY, CORROSIVE or CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	P
	3486	CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine	P
3487	"CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water"	P	
3544	ARTICLES CONTAINING OXIDIZING SUBSTANCE, N.O.S.	P	
5,2	ALL	ORGANIC PEROXIDES	P
6,1	1613	HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with not more than 20% hydrogen cyanide	P
	1614	HYDROGEN CYANIDE, STABILIZED containing less than 3% water and absorbed in a porous inert mt.	P
	2016	AMMUNITION, TOXIC, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	P
	2017	AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	P

CLASS	UN	PROPER SHIPPING NAME	P/R
6,1	3123	TOXIC LIQUID, WATER-REACTIVE, N.O.S.	P
	3124	TOXIC SOLID, SELF-HEATING, N.O.S.	P
	3125	TOXIC SOLID, WATER-REACTIVE, N.O.S.	P
	3172	TOXINS, EXTRACTED FROM LIVING SOURCES. LIQUID, N.O.S.	P
	3315	CHEMICAL SAMPLE, TOXIC, LIQUID	P
	3491	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC50 lower than or equal to 1000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC50	P
	3546	ARTICLES CONTAINING TOXIC SUBSTANCE, N.O.S.	P
	3507	URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE, less than 0.1 kg per package, non-fissile or fissile-excepted	P
	3550	COBALT DIHYDROXIDE POWDER containing not less than 10% respirable particles	P
6,2	ALL	INFECTIOUS SUBSTANCES	P
7	ALL	RADIOACTIVE MATERIAL	P
8	1744	BROMINE or BROMINE SOLUTION	P
	3560	TETRAMETHYLAMMONIUM HYDROXIDE AQUEOUS SOLUTION with not less than 25% tetramethylammonium hydroxide	P
9	2071	AMMONIUM NITRATE BASED FERTILIZER	P
	2212	BLUE ASBESTOS (crocidolite) or BROWN ASBESTOS (amosite, mysorite)	P
	2315	POLYCHLORINATED BIPHENYLS, LIQUID	P
	2590	WHITE ASBESTOS (chrysotile, actinolite, anthophyllite, tremolite)	P
	2969	CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE	P
	3151	POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID	P
	3152	POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID	P
	3245	GENETICALLY MODIFIED MICROORGANISMS or GENETICALLY MODIFIED ORGANISMS	P
	3432	POLYCHLORINATED BIPHENYLS, SOLID	P
OTHER PROHIBITIONS			
Dangerous Goods in container as bulk.			P
Goods require temperature controlled by IMDG Code			P
Hazardous materials in heated tank container.			P
All Industrial Hazardous Waste Shipments and commodities covered by Basel Convention			P
All under SP900 is prohibited. Technical names are given below.			
AMMONIUM BROMATE			P
AMMONIUM BROMATE, SOLUTION			P
AMMONIUM CHLORATE			P
AMMONIUM CHLORATE, SOLUTION			P
AMMONIUM CHLORITE			P
AMMONIUM HYPOCHLORITE			P
AMMONIUM NITRATE liable to self-heating sufficient to initiate a decomposition			P

OTHER PROHIBITIONS		
	AMMONIUM NITRITES and mixtures of an inorganic nitrite with an ammonium salt	P
	AMMONIUM PERMANGANATE	P
	AMMONIUM PERMANGANATE, SOLUTION	P
	CHLORIC ACID, AQUEOUS SOLUTION with more than 10% chloric acid	P
	ETHYL NITRITE pure	P
	HYDROCYANIC ACID with more than 20% acid, by mass	P
	HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with more than 20% hydrogen cyanide	P
	HYDROGEN CHLORIDE, REFRIGERATED LIQUID	P
	HYDROGEN CYANIDE SOLUTION IN ALCOHOL with more than 45% hydrogen cyanide	P
	MERCURY OXYCYANIDE pure	P
	METHYL NITRITE (2.2/2455)	P
	PERCHLORIC ACID with more than 72% acid, by mass	P
	SILVER PICRATE, dry or wetted with less than 30% water by mass	P
	ZINC AMMONIUM NITRITE (5.1/1512)	P
	Calcium Hypochlorite	P
	Un 1950 with product name of "lighter gas refill" will not be accepted.	P
	UN 1043, UN 2073, UN 1334, UN 2672 , UN 1789 are not accepted in Arkas containers.	P
	DG in Flexitank.	P
	Any of the mentioned items in this list as "Limited Quantity" and "Excepted Quantity".	P
	Used batteries	P
	Military Cargo (Arms, Ammunition, etc.)	P
	Hunting Equipment (Air rifles, Lead, Shell, Spring, etc.)	P
	Metal Scrap	P
	For UN1146, flash points below -18 cannot be accepted.	P
	UN 1169 removed within IMDG code from IMDG Amendment 41-22 .	P
RESTRICTION		
ALL	DG in ARKAS Reefer Equipment - Acceptance on a case to case basis	R
ALL	For all UN numbers under CLASS 8 with a proper shipping name ending with N.O.S, segregation group is required.	R
ALL	Class 6.1 Packing Group I - Acceptance on a case to case basis.	R
1479	Technical name is required.	R
1791	Technical name is required.	R
1160	Not accepted if solution in water is more than 25%.	R
1300	Trade Department's approval is required.	R
1383	Survey report is required. Not acceptable in tank container.	R
1408	Weathering certificate is required. (SP 932)	R

RESTRICTION		
1361	CARBON animal or vegetable origin Only HS Code 44029000 shall be accepted.	R
1511	Survey report is required if not shipped in limited quantities.	R
1790	UN packing certificate is required.(PP81). Manufacturing date of packages is required. For UN 1790 with more than 60% but not more than 85% hydrogen fluoride the permitted use of plastics drums and jerricans as single packagings shall be two years from their date of manufacture.	R
2014	Survey report is required if not shipped in limited quantities.	R
2015	Survey report is required if not shipped in limited quantities.	R
2031	UN packing certificate is required.(PP81). Manufacturing date of packages is required. UN 2031 with more than 55% nitric acid, the permitted use of plastics drums and jerricans as single packagings shall be two years from their date of manufacture.	R
2468	Trichloroisocyanuric Acid, Dry, ONLY if in hermetically sealed packaging	R
3314	Only accepted in OT container.	R
2211	Only accepted in OT container.	R
2845	Survey report is required. Not acceptable in tank container.	R
2846	Survey report is required. Not acceptable in tank container.	R
2984	Survey report is required if not shipped in limited quantities	R
3098	Survey report is required if not shipped in limited quantities	R
3149	Survey report is required if not shipped in limited quantities.	R
3194	Survey report is required. Not acceptable in tank container.	R
3200	Survey report is required. Not acceptable in tank container.	R
OTHER DETAILS		
ALL	Substances with SP386 are required to submit/declare SAPT in accordance with SP386	R
ALL	Tank periodic survey report should be provided for DG tank container shipments.	R